

---

# **pisecsek Documentation**

*Vydání 1.9*

**MK**

**zář 27, 2017**



<b>1</b>	<b>Site Documentation</b>	<b>3</b>
1.1	Instalace XXX . . . . .	3
<b>2</b>	<b>Indices and tables</b>	<b>5</b>



Contents:



### Instalace XXX

It's really easy to start using RTD for your project's documentation. This section shows you how.

If you are already using [Sphinx](#) for your docs, skip ahead to *Na lokále*.



### Na serveru

Install [Sphinx](#), and create a directory inside your project to hold your docs:

```
$ cd /path/to/project
$ mkdir docs
$ prasopes
prasopes
prasopes
```

Run sphinx-quickstart in there:: Run sphinx-quickstart in there:

```
$ cd docs
$ sphinx-quickstart
```

The documentation for the site is organized into two different sections below. One is for users of readthedocs.org, that is the first section. The next section is for users of the code that powers the site. All of the RTD code is open source, so you can run your own instance. Presumably in an internal install inside your company, or something

### Na lokále

blablaba

Header row, column 1 (header rows optional)	Header 2	Header 3	Header 4
body row 1, column 1	column 2	column 3	column 4
body row 2		...	

### Na prd

prdy prdy

1.9

chacha cha

## KAPITOLA 2

---

### Indices and tables

---

- [genindex](#)
- [modindex](#)
- [search](#)